



Knowledge about the signs and symptoms of dementia



Knowledge Value

Knowledge Value	Knowledge Option
1	Not knowledgeable at all
2	Slightly knowledgeable
3	Moderately knowledgeable
4	Very knowledgeable
5	Extremely knowledgeable


Average Knowledge Value



*Out of 141 people surveyed, 141 answered.

How competent one feels about their ability to communicate with individuals living with dementia


● Before Training ● After Training



Competence Value	Competence Option
1	Extremely incompetent
2	Somewhat incompetent
3	Neither competent or incompetent
4	Somewhat competent
5	Extremely competent

Average Competence Value


● Before Training ● After Training



*Out of 141 people surveyed, 141 answered.

Familiarity of the changes one could make in their community to become more dementia inclusive


● Before Training ● After Training



Familiarity Value	Familiarity Option
1	Not familiar at all
2	Slightly familiar
3	Moderately familiar
4	Very familiar
5	Extremely familiar

Average Familiarity Value


● Before Training ● After Training



*Out of 141 people surveyed, 141 answered.

uOttawa Mini-Lab Training Survey Results


63% of individuals reported a lot or a great deal of shifting of attitudes and behaviours to become more dementia aware and inclusive.



**Out of 141 people surveyed, 141 answered.*


uOttawa Mini-Lab Training Survey Results

85% of individuals reported feeling moderately or extremely satisfied with the training experience.



uOttawa Mini-Lab Training Survey Results

86% of individuals would be somewhat or extremely likely to recommend the training experience.



**Out of 141 people surveyed, 141 answered.*